Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19058	707/3 or 707/10 or 707/102 or 715/500.1 or 715/523 or 715/522	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:17
L2	0	1 and ((virtual near2 form) same template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:18
L3	90	1 and (template same instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:18
L4	239	1 and (template same instructions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:18
L5	5	4 and (location with string)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:18
L6	2	4 and (location with string) and dimensions	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:19
L7	0	4 and (location with string) and dimensions and marker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:19
L8	236	1 and (search$ with direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:19

L9	0	8 and (template same dimensions same coordinate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:20
L10	0	8 and (template same dimensions) and (coordinate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:21
L11	2501	1 and 707/104.1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:20
L12	0	1 and 707/104.1 and (template) and (virtual near2 form)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:20
L13	4	11 and (template same dimensions) and (coordinate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:21
L14	0	11 and (template same dimensions) and (coordinate) and marker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:21
L15	4	11 and (template same dimensions) and (coordinate) and (location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:25
L16	0	11 and (template same dimensions) and (coordinate) and (location) and (extraction with instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:22

L17	2	11 and (template same dimensions) and (coordinate) and (location) and tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:25
L18	0	11 and (template same dimensions) and (coordinate) and (location) and (tag near2 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 11:26

Google

Web   Images   Groups   News   Froogle   Local^{New!}   more »

visual form of data and template and format da   Search   Advanced Search / Preferences

The "AND" operator is unnecessary – we include all search terms by default. [details]

Web Results 1 - 10 of about 232,000 for <u>visual</u> <u>form</u> of <u>data</u> and <u>template</u> and <u>format</u> <u>data</u> and <u>content</u> <u>data</u> and <u>di</u>

Scholarly articles for **visual form of data and template and format data and content data and dimensions and marker**

A software system for data analysis in automated DNA ... - by Giddings - 23 citations
Determining sequence length or content in zero, one, and ... - by Perlin - 1 citations
electro - by Ring - 0 citations

Blog: Dan E. Linstedt: Master **Data** Management Archives
Data is often overlaid with additional business **dimensions** to make it usable. ... When will our **data** modelers finally learn that it's about the **FORM** and ...
www.b-eye-network.com/blogs/linstedt/archives/
business_intelligence/master_data_management/index.php - 67k - Cached - Similar pages

IBM - Glossary of Terms for Lotus Discovery Server and Lotus K-station
A search might be considered a very rudimentary **form** of **data** mining. ... Place **Template**. A **format** for use in creating a K-station place. ...
www.ibm.com/support/docview.wss?rs=462&
context=SSKTM2&dc=DB520&uid=swg21099580&loc=en_US&... - 79k -
Cached - Similar pages

[Paper] Streaming Audio-Video **Content** Over Internet with a ...
Data Stream **format** has the advantage of delivering multimedia **content** in real ... A **template** stores information about type, position, **dimension** and other ...
www.actapress.com/PDFViewer.aspx?paperId=19657 - Similar pages

[PDF] The Inception of the ArcGIS Marine **Data** Model
File Format: PDF/Adobe Acrobat - View as HTML
For users, the **data** model provides a basic **template** for implement-. ing GIS projects (ie, inputting, **formatting**, geoprocessing, and sharing **data**; ...
dusk2.geo.orst.edu/djl/arcgis/docs/MG_CH1.pdf - Similar pages

Entity Management in SGML
... literal axis **markers** can be specified (that is, no **dimension** references, et. al. ... In particular, the executable versions of **data content** notation ...
www.oasis-open.org/cover/goldenti.html - 40k - Cached - Similar pages

Nevron Chart for Windows **Forms** by Nevron
Supports **markers**. Radian and degree label **formatting**; High-Low: High low area with ... Creating a chart based on **template** and modifying its **data** and other ...
www.componentsource.com/Catalog/ NevronChartforWindowsForms_514483.htm - 25k -
Cached - Similar pages

.NET Chart (WinForms and WebForms ASP.NET charting component) and ...
Supports **markers**. Radian and degree label **formatting**. ... Creating a chart based on **template** and modifying its **data** and other settings takes not more than a ...
www.nevron.com/ Charting.aspx?nav=ChartWinFormsNav&**content**=ChartWinForms - 26k
- Nov 24, 2005 - Cached - Similar pages

[PDF] Unofficial **Format** Specification of the IDL "SAVE" File
File Format: PDF/Adobe Acrobat - View as HTML
such as array **dimensions**, **data** type, and whether it is a structure; finally, the **data** ... into a

slightly different **form** for the SAVE **format. ...**
cow.physics.wisc.edu/~craigm/idl/savefmt.pdf - Similar pages

[PDF] LinkSuite™: formally robust ontology-based **data** and information ...
File Format: PDF/Adobe Acrobat - View as HTML
information from a variety of sources and in a variety of **formats**, ranging from raw. lab
instrument **data**, gene expression profiles, raw sequence traces, ...
ontology.buffalo.edu/bio/LinkSuite.pdf - Similar pages

[PDF] ACC/AHA Key **Data** Elements and Definitions for Measuring the ...
File Format: PDF/Adobe Acrobat - View as HTML
first publication of the HF **data** standards. Each writer. received a **template** to assist in
drafting the definitions. and to provide for a structured **format ...**
www.acc.org/clinical/**data**_standards/ hf/HFDataStndsFinal008297.pdf - Similar pages

Try searching for **visual form of data and template and format data and content data and dimensions and marker** on Google Book Search

Gooooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Google Desktop Search   9:30 AM
Free! Instantly find your email, files, media and web history. Download now.

visual form of data and template and   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Google

Web   Images   Groups   News   Froogle   Local^{New!}   **more »**

visual form of data and template and format da   Search   Advanced Search
Preferences

The "AND" operator is unnecessary — we include all search terms by default. [details]

Web Results 1 - 10 of about **736,000** for <u>visual</u> <u>form</u> of <u>data</u> and <u>template</u> and <u>format</u> <u>data</u> and <u>content</u> <u>data</u> and <u>di</u>

<u>Scholarly articles for **visual form of data and template and format data and content data and dimensions**</u>

<u>Tools and Approaches for Developing Data-Intensive Web ...</u> - by Fraternali - 177 citations
<u>Software tools for analysis and visualization of fMRI data</u> - by Cox - 107 citations
<u>Correlative visualization techniques for ...</u> - by Treinish - 6 citations

<u>Data Analyzer for Business Intelligence</u>
Data Analyzer combines an intuitive **visual** UI with powerful analysis capabilities. ... in tabular **form** to an Excel workbook or Microsoft PivotTable® **format**. ...
www.microsoft.com/office/previous/ xp/business/intelligence/**data**analyzer.asp - 28k -
<u>Cached</u> - <u>Similar pages</u>

<u>SQL Server: Getting **Data** to the Client</u>
*Chapter 21 - Monitoring the DTS Multiphase **Data** Pump in **Visual** Basic ... **dimensions**, and other objects on the Analysis server in the **form** of schema rowsets ...
www.microsoft.com/technet/prodtechnol/ sql/2000/reskit/part6/c2561.mspx - 92k -
<u>Cached</u> - <u>Similar pages</u>

<u>Prining version page</u>
4D **Visual** develops state-of-the-art **data** display solutions for tomorrow's leaders in ... 4D **data** models are main **content** element of the 4D **Data** Displays. ...
www.unifiedfield.com/4d/print_version.htm - 12k - <u>Cached</u> - <u>Similar pages</u>

<u>NuDoc Technology Brief</u>
It is the first solution to use XML as the intermediate **data format** between ... design of page **templates** while maintaining a strict separation of **form** from ...
xml.coverpages.org/nudoctbrief980513.html - 16k - <u>Cached</u> - <u>Similar pages</u>

<u>SOIF Dublin Core - Metadata - UKOLN</u>
Metadata. SOIF IANA-DUBLINCORE **template** type ... c) ATTRIBUTE Description The **data format** and, optionally, **dimensions** (eg, size, duration) of the resource. ...
www.ukoln.ac.uk/metadata/tf-chic/soif/ - 10k - <u>Cached</u> - <u>Similar pages</u>

<u>DOCUMENTATION TEMPLATE DEFINITIONS</u>
... Language - HTML) **format**, which follows a standard **template** developed in the ... The Dataset Documentation file is in the dataset directory with the **data** ...
www.ngdc.noaa.gov/seg/cdroms/ged_iia/html/datadoc.htm - 20k - <u>Cached</u> - <u>Similar pages</u>

<u>Applescript for Applications: **Visual** QuickStart Guide - $15.39</u>
Merging **Data** with Text **Templates**. Capturing **Data** in ScriptMaker. ... Parsing **Form** POST **Data**. Parsing Server Variables. Returning **Content** via Redirection. ...
www.peachpit.com/bookstore/product.asp?isbn=0201716135 - 29k -
<u>Cached</u> - <u>Similar pages</u>

<u>Access 2000 for Windows: **Visual** QuickStart Guide - $12.59</u>
Copying **Data** from One Record to Another. Using Autocompletion. Creating **Forms** with a Wizard. Organizing **Forms** for Efficiency. **Formatting Forms**. ...
www.peachpit.com/title/0201354349 - 27k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>NVAC_Book.indd</u>

File Format: PDF/Adobe Acrobat
visual analytics is built. **Data** representations are structured **forms** ... **data** themselves.
They must retain the information and knowledge **content** and the ...
nvac.pnl.gov/docs/RD_Agenda_NVAC_chapter4.pdf - Similar pages

Interactive Archives for Scientific **Data**

As such, this approach represented an early **form** of **content**-based directed ... One
potential problem with the **visual** browsing of large **data** archives is the ...
www.research.ibm.com/people/l/lloydt/IA/home.htm - 71k - Cached - Similar pages

Try searching for **visual form of data and template and format data and content data and dimensions** on Google Book Search

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Google Desktop Search   9:30 AM

Free! Instantly find your email, files, media and web history. Download now.

| visual form of data and template and | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google